

City of Doral

Doral Police Department

Office of Emergency Management

Action Plan

Zika Virus

Prevention, Preparedness, Operations and Outreach

6th Update: September 20, 2016



Transmission:

- The transmission of the Zika virus is through mosquito bites.
- Zika virus is transmitted to people primarily through the bite of an infected Aedes species mosquito. Known by the white-striped pattern on its legs, this mosquito species is a vector for various tropical diseases including dengue, chikungunya and, more recently, Zika.
- They are aggressive daytime biters, prefer to bite people, and live indoors and outdoors near people.
- Spread of the virus through blood transfusion and sexual contact has been reported.

Symptoms:

One in five (20%) people infected with Zika virus become symptomatic but usually with mild symptoms. These may occur 2-7 days after the mosquito vector bite. Symptoms lasts no more than one week and may include the following:

- mild fever
- skin rash or redness (covered by elevated bumps)
- headaches
- arthralgia (joint stiffness)
- myalgia (episode or zones of muscular pain)
- asthenia (lack of energy or loss of strength)
- conjunctivitis (pink eye inflammation of the eye & inner surface of the eyelids, redness and discharge)





Treatment:

Zika is an acute infection. CDC recommends the following treatment: seeing a physician, hydrating, taking acetaminophen-Tylenol to lower fever and reduce pain, and rest. However, aspirin or other anti-inflammatory medications, like ibuprofen or naproxen, **should be avoided** until the patient is tested to rule out Dengue fever.

Ongoing research for development of a Zika vaccine has been reported, but in the words of the medical field, this could take "three to five years."

Prevention:

Following guidelines by the CDC and Miami-Dade County, these are steps to prevent the Zika virus. What each person does in his/her surroundings become the first line of defense against the virus.

Drain: (this applies to residences, businesses, government facilities, parks, etc.)

- Drain all standing water around the yard. Mosquitoes need only a surprisingly small amount of water to breed. Empty cans, buckets, garbage cans, house gutters, flower pots, bromeliads and other plants that hold water, bottles, toys, plastic "kiddie" pools, lids, old tires, pool covers, barrels and any other container or item that holds or can hold water.
- If you have a boat, turn it upside down if it's small enough, or cover it if it's too large to turn. Just make sure the boat cover doesn't also hold water.
- If you have a swimming pool, make sure to maintain it properly and run the pump every so often as mosquitoes do not like to breed in moving water.
- Twice a week, make sure to empty or rinse out bromeliads and other plants that hold water, pets' water bowls and birdbaths.



Cover:

- Make sure your doors and windows are covered with screens to keep mosquitoes out of your house. Protect infants with mosquito netting.
- Avoid going outside when mosquitoes are most active, at dawn and dusk. If you do have to be outside, cover yourself up by wearing loose, light-colored clothing (preferably long pants and long sleeves), shoes and socks.
- Use a repellent when you go outside. Follow the directions on the label. The best repellents use DEET or picaridin as the active ingredient.

Miami-Dade County's Mosquito Control Unit conducts numerous mosquito inspections and spraying operations throughout the County to help keep down the volume of mosquitoes. To request a mosquito inspection or to report a mosquito nuisance, the public is encouraged to call 3-1-1. Information on mosquito control in Miami-Dade County can be found on this link <u>www.miamidade.gov/solidwaste</u>.

Follow travel alerts:

- CDC has issued a travel notice (Level 2-Practice Enhanced Precautions) for people traveling to regions and certain countries where Zika virus transmission is ongoing.
- This alert follows reports in Brazil of microcephaly and other poor pregnancy outcomes in babies of mothers who were infected with Zika virus while pregnant. However, additional studies are needed to further characterize this relationship. More studies are planned to learn more about the risks of Zika virus infection during pregnancy.
- Until more is known, and out of an abundance of caution, the CDC recommends special precautions for pregnant women and women trying to become pregnant. For the most updated information on Zika virus and pregnancy please visit: <u>http://www.cdc.gov/zika/pregnancy/index.html</u>
- Pregnant women in any trimester should consider postponing travel to the areas where Zika virus transmission is ongoing.



- Women trying to become pregnant should consult with their healthcare provider before traveling to these areas and strictly follow steps to prevent mosquito bites during the trip.
- More information on Zika virus and pregnancy can be found at http://www.cdc.gov/zika/pregnancy/question-answers.html
- Avoid travel to the following countries especially if the person is pregnant or planning to become pregnant:

World map showing countries and territories with reported active transmission of Zika virus (as of September 20, 2016). Countries are listed in the table below. For the most updated list, visit the following link: <u>http://www.cdc.gov/zika/geo/active-countries.html</u>





Americas

- Anguilla
- Antigua and Barbuda
- Argentina
- Aruba
- The Bahamas
- Barbados
- Belize
- Bolivia
- Bonaire
- Brazil
- Cayman Islands
- Colombia
- Commonwealth of
 Puerto Rico, US territory
- Costa Rica
- Cuba

- Curacao
- Dominica
- Dominican Republic
- Ecuador
- El Salvador
- French Guiana
- Grenada
- Guadeloupe
- Guatemala
- Guyana
- Haiti
- Honduras
- Jamaica
- Martinique
- Mexico
- Nicaragua

- Panama
- Paraguay
- Peru
- Saba
- Saint Barthélemy
- Saint Lucia
- Saint Martin
- Saint Vincent and the Grenadines
- Sint Eustatius
- Sint Maarten
- Suriname
- Trinidad and Tobago
- Turks and Caicos
- United States
- U.S. Virgin Islands
- Venezuela



Oceania/Pacific Islands

- American Samoa
- Fiji
- Kosrae, Federated States of Micronesia
- Marshall Islands
- New Caledonia
- Papua New Guinea
- Samoa
- Tonga

Africa

• Cape Verde

Specific CDC travel notices can be found in the following link:

http://wwwnc.cdc.gov/travel/page/zika-travel-information



Zika in the United States and its territories:

- Gov. Rick Scott declared a public health emergency on Feb. 3, 2016 when a number of travel related cases began in Florida.
- On July 29, 2016, the Florida Department of Health (FDOH) confirmed the first locally transmitted cases of Zika in the Wynwood area. The footprint for treatment and specialized outreach was set to one square mile around the epicenter of the first transmitted cases, an area of only 500sq-feet.
- County mosquito control began air spray missions to kill both larvae (2 square mile) and adults (10 square mile). These missions lasted until the week of August 22.
- On August 12, the Federal Government declared a Public Health Emergency in Puerto Rico with over 10 thousand local cases.
- On August 19, 2016, the FDOH confirmed five local transmitted cases in an area of Miami Beach.
- One locally transmitted virus has been reported in Texas through sexual contact.
- With the recent outbreaks, the number of Zika cases among travelers visiting or returning to the United States will likely increase.
- These imported cases most likely triggered local spread of the virus in Miami-Dade County in the Wynwood and Miami Beach areas.
- For a daily update of Zika cases in the State of Florida and the maps of Zika zones in Miami-Dade County please visit the following link: http://www.floridahealth.gov/newsroom/2016/08/082416-zika-update.html
- For daily updates on cases geographically visit <u>http://www.floridahealth.gov/diseases-and-conditions/zika-virus/index.html?utm_source=flhealthIndex</u>



Outreach:

Given the demographics of the City of Doral and the touristic and commerce ties with South American and Caribbean countries, since January 25, 2016 the Office of Emergency Management began and continued posting information on the Zika CDC travel alerts to those countries on the City's social media platforms. In addition, information from the CDC and Miami-Dade County has also been shared regarding prevention tips to avoid mosquito bites once the rain season began. This effort was enforced the last week of July and first week of August, 2016 when the first locally transmitted cases were confirmed.

The information can be found in the following links:

Miami-Dade County Mosquito Control: <u>http://www.miamidade.gov/solidwaste/mosquito-control.asp</u>

World Health Organization (WHO) on Zika virus: <u>http://www.who.int/topics/zika/en/</u> Centers for Disease Control and Prevention (CDC): <u>http://www.cdc.gov/Zika/</u> (including a video on Zika virus)

Doral TV has been ruunning the CDC Zika virus video. The duration of the program is 2 minutes and 52 seconds.

The video can be found at this link: https://youtu.be/iOm15VyWIwo

All updated information was provided to Public Affairs with the purpose of creating a webpage to keep the public informed. The information is now under Public Safety/Emergency preparedness and placed on the main page of the City's website in a rotation basis.



City Departments' Actions

- A complete overview of Zika virus was provided to all department heads and police command staff during the yearly hurricane exercise held in May, 2016.
- In August, 2016, employees from Departments such as Public Works, Parks and Recreation, Code Enforcement, Building, Police, etc. received bug spray cans following prevention tips which include use of insect repellents while working in the field and report any incident of standing water that are potential breeding grounds for mosquitoes.
- Parks and Recreation posted flyers in their facilities and provided information to park programs participants regarding prevention from mosquito bites. 60 cans of bug spray were made available throughout the parks for personnel and public use.
- Fact sheets have been distributed or posted by HR at Government Center.
- On August 3, the Police Department implemented a Mosquito Bite Prevention/ Zika Educational Campaign. For a two (2) week period, the City of Doral Police Department's Neighborhood Resource Unit (NRU) and Uniform Patrol distributed literature throughout the community on the following:
 - 1) Mosquito Bite Prevention
 - 2) Drain and Cover (To Eliminate Mosquito Breeding)
 - 3) Zika and Pregnancy related issues
- The School Resource Officers (SRO) and the Neighborhood Resource Officers (NRO) passed the literature out on their regular scheduled shifts throughout the City of Doral. In addition, on August 6, 7, 13 and 14th, they went to local supermarkets (Publix, Walmart, Winn-Dixie, etc.) passing out the literature with Police Explorers. Zika prevention has been discussed at HOA meetings (Emails with the literature was blasted to local communities and posted on social media platforms). The Economic Development office also sent an email blast to the business community with the safety information.
- The Bicycle and Patrol Officers focused on our residential communities during their respective shifts and went door to door passing out the literature in an attempt to educate our community members and keep them safe.



| Municipality: City of Doral | | | |
|---|---------------------------|---|------------------------|
| Geographic Location | Approximate Population | What information and/or resources were provided? (i.e. Drain & Cover campaign information, general Zika awareness information, | |
| Doral Isles Communities (Zip Code 33178) | 3278 | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| Islands of Doral Communities (Zip Code 33178) | 5447 | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| Las Vistas Condominiums (Zip Code 33166) | 2423 | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| Vanderbilt Community (Zip Code 33172) | 508 | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| Ibis Villas (Zip Code 33178) | 475 | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |




| Municipality: City of Doral | | | |
|--|---------------------------|---|--|
| Geographic Location | Approximate Population | What information and/or resources were provided? (i.e. Drain & Cover campaign information, general Zika awareness information, important numbers to call, etc.) | What date was the Public Outreach completed OR will be completed? |
| Navarro (Zip Code 33178) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| Starbucks (Zip Code 33178) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| Graziano's (Zip Code 33178) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| All Gas Stations (Zip Code 33178) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| CVS, Walgreens, Don Pan, Panera (Zip Code 33178) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| McDonalds and Burger King (Zip Code 33178) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |



| Municipality: City of Doral | | | |
|---|---------------------------|---|--|
| Geographic Location | Approximate Population | What information and/or resources were provided? (i.e. Drain & Cover campaign information, general Zika awareness information, important numbers to call, etc.) | What date was the Public Outreach completed OR will be completed? |
| King Arepazo 2 and Sedano's (Zip Code 33178) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| Walmart and Sam's Club (Zip Code 33172) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| International Mall (Zip Code 33172) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| All Three (3) Publix Locations in the City of Doral (Zip Code 33178) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |
| Winn Dixie (Zip Code 33178) | n/a | Drain & Cover, Mosquito Prevention Tips | Aug. 6 through Aug. 13 |




- -Zika prevention outreach have also taken place during city events such as Keep Doral Beautiful, Hurricane Preparedness Fair, National Night Out & Back to School Night, and Small Businesses Workshops with Economic Development. On August 2, over 100 literature materials for kids were distributed along with the school backpacks. These booklets were provided by the County's Solid Waste Management and the CDC.
- -On August 8, 2016, 25 members from several Doral City Departments took part on the mosquito abatement training held at Miami-Dade County Fire Rescue Headquarters in Doral. Code Enforcement personnel also attended a Florida Department of Health (FDOH) presentation on the Zika virus and a County presentation on Mosquito Abatement (August 24).
- -On August 15, 2016, the City approved an emergency purchase of 30-day treatment larvicices.



- Beginning the week of August 22, Code Enforcement commenced the treatment of storm drainages and areas with standing water with larvicide dunks. Their work has been facilitated by the <u>Mosquito Control Ordinance</u> unanimously passed by Doral City Council in May, 2016 giving the Department of Code Enforcement better tools to support mosquito control efforts.
- Code Enforcement has used larvicide dunks in several location and or properties throughout the City where inspectors observe storm drains clogged, standing water or any surface that may facilitate mosquito breeding.
- Public Works initiated its Zika Response Operation and as of August 25, has treated 1,584 drainage structures. This operation has been placed on hold until tropical disturbance 99L leaves the area.
 Work will be finalized by September 2, 2016.
- Parks and Recreation maintenance personnel has also treated standing water found at park facilities.




Building Department inspectors have provided information and prevention activities throughout their inspection routes (note: white numbers inside green box are routing numbers)




Map 1: Includes Intercontinental Village, CityPlace, Shoma/Oasis, Contempo,





Map 2: Includes Grand Bay (Lennar), Midtown, Landmark South, Modern





Map 3: Includes Modern / Doral Commons

Operation activities will be updated on this Action Plan on a regular basis.



- On Saturday, August 27, Code Enforcement personnel distributed drain/cover flyers across six neighborhoods and had a table at international mall distributing outreach material.
- September 7: Through Doral PD's OEM and the County, Healthy Homes Council received over 6,000 outreach
 materials provided by Miami-Dade County on the Drain & Cover campaign to support the public information
 effort. HHC is a non-profit company who sponsored the Small Business Workshop held by the City of Doral and
 the Doral Chamber of Commerce on August 4th and immediately decided to volunteer with outreach activities.
- Starting the week of September 12, Code Enforcement began soliciting the help of HOAs in identifying abandoned properties including those with swimming pools that could be breeding grounds for mosquitos.
- Beginning on September 19, the FDOH opened an additional clinic in the Cutler Bay area for pregnant women to be tested for Zika free of charge. Flyer with detailed information can be found by opening this link <u>C:\Users\frenchn\Desktop\Zika Testing- WPC HDC.jpg</u>

The flyers used for outreach activities have been provided by the CDC, the FDOH and the County and it includes information in Spanish:

Drain and Cover (English) http://www.miamidade.gov/solidwaste/library/flyers/drain-and-cover-eng.pdf

Drain and Cover (Spanish) http://www.miamidade.gov/solidwaste/library/flyers/drain-and-cover-esp.pdf

Mosquito Bite Protection for Overseas Travelers (English) <u>http://miamidade.floridahealth.gov/_admin/safe-travel-en.pdf</u>

Mosquito Bite Protection for Overseas Travelers (Spanish) http://miamidade.floridahealth.gov/_admin/safe-travel-esp.pdf



Mosquito Bite Protection in Florida (English) <u>http://www.floridahealth.gov/diseases-and-conditions/zika-virus/_documents/mos-prevention-qxp-02-16.pdf</u>

Mosquito Bite Protection (Spanish) http://www.cdc.gov/chikungunya/pdfs/factsheet_mosquito_bite_prevention_us_spanish.pdf

http://www.cdc.gov/zika/pdfs/control_mosquitoes_chikv_denv_zika.pdf

http://www.cdc.gov/zika/pdfs/control_mosquitoes_chikv_denv_zika_spanish.pdf

For all information and flyers for pregnant women visit: <u>http://www.cdc.gov/zika/pregnancy/protect-yourself.html</u>

Posters can be found in the CDC link http://www.cdc.gov/zika/fs-posters/index.html

The Office of Emergency Management continues communication with the County's OEM while monitoring the situation especially since the World Health Organization (WHO) declared an international state of emergency on Monday, February 1, 2016, and Florida Governor Rick Scott declared it on February 3, 2016. The City's OEM joined the daily conference call with the FDOH Joint Incident Command (JIC) in Miami-Dade County on August 3, 2016.

WHO Emergency Committee on Zika virus observed increase in neurological disorders and neonatal malformations http://www.who.int/mediacentre/news/statements/2016/1st-emergency-committee-zika/en/

WHO Director-General summarizes the outcome of the Emergency Committee regarding clusters of microcephaly and Guillain-Barré syndrome http://www.who.int/mediacentre/news/statements/2016/emergency-committee-zika-microcephaly/en/

Following are some of the flyer samples in English and Spanish:

For printing purposes please open links to pdf formats provided above.



Feeling the sting of mosquitoes? Then it's time to drainandCOVET.



Don't forget to drainandCover.

Drain standing water.

Drain water from garbage cans, house gutters, pool covers, coolers, toys, flower pots or any other containers where sprinkler or rain water has collected.

DISCARD:

old tires, drums, bottles, cans, pots and pans, broken appliances and other items that aren't being used.

EMPTY AND CLEAN:

birdbaths and pets' water bowls at least once or twice a week.

PROTECT:

boats and vehicles from rain with tarps that don't accumulate water.

MAINTAIN:

the water balance (pool chemistry) of swimming pools. Empty plastic swimming pools when not in use.

Stop mosquitoes from living and multiplying around your home or business.

COVER YOUR SKIN WITH:

CLOTHING If you must be outside when mosquitoes are active, cover up. Wear shoes, socks, long pants, and long sleeves.

REPELLENT Apply mosquito repellent to bare skin and clothing. Always use repellents according to the label. Repellents with DEET, picaridin, oil of lemon eucalyptus, and IR3535 are effective. Use mosquito netting to protect children younger than 2 months.

COVER DOORS AND WINDOWS WITH SCREENS.

Keep mosquitoes out of your house. Repair broken screens on windows, doors, porches, and patios.





FloridaHealth.gov • Florida Department of Health

Mosquitoes spread viruses and parasites that cause diseases like chikungunya, dengue, Zika and malaria. Before you travel to areas where these diseases are found, talk to your health care provider about your health concerns, and ask about malaria prevention medicine.

Mosquitoes can live indoors and will bite at any time, day or night. Bring Environmental BRAND EXAMPLES* USE INSECT REPELLENT Protection Agency WITH ONE OF THESE ACTIVE INGREDIENTS **Overseas brand names** may vary. (EPA)-registered insect repellents When you travel to areas with mosquitoes, bring an EPA-registered insect repellent. Use products Off!, Cutter, Sawyer, Ultrathon with active ingredients that are safe and effective. Picaridin (KBR 3023), Bayrepel and icaridin Always follow the product label instructions. Skin So Soft Bug Guard Plus, Autan (outside the U.S.) Do not spray repellent on skin under clothing. If you use sunscreen, put sunscreen on first and insect repellent Oil of lemon eucalyptus (OLE) or para-menthane-diol (PMD) Repel It is safe for pregnant or nursing women to use EPA-approved repellants if applied according to package label instructions. Skin So Soft Bug Guard Plus Expedition, Skin Smart IR3535->-> Learn more: www2.epa.gov/insect-repellents. Keep mosquitoes out of hotels rooms & other lodging Cover up with clothing Wear long-sleeved shirts and long pants.

Mosquitoes can bite through thin clothing. Treat clothes with permethrin or another EPA-registered insecticide for extra protection

Use permethrin-treated clothing and gear.

second


Permethrin is an insecticide that kills mosquitoes and other insects.

Buy permethrin-treated clothing and gear (boots, pants, socks, tents), or use permethrin to treat clothing and gearfollow product instructions closely.

Read product information to find out how long the permethrin will last.

Do not use permethrin products directly on skin.





www.cdc.gov/features/StopMosquitoes




FloridaHealth.gov • Florida Department of Health

Respuesta de los CDC al zika

¿ESTÁ EMBARAZADA? Lea esto antes de viajar

Lo que sabemos sobre el virus del Zika

- El virus del Zika puede pasar de la madre al feto durante el embarazo.
- La infección por el virus del Zika durante el embarazo se ha asociado a defectos de nacimiento en los bebés.
- El virus del Zika se propaga principalmente por la picadura de un mosquito infectado de la especie Aedes.
- » Estos mosquitos pican agresivamente durante el día y también pueden picar por la noche.
- No ha habido transmisión local del virus del Zika en el territorio continental de los EE. UU.
- No hay una vacuna para prevenir la infección por el virus del Zika ni medicamentos para tratarla.
- El virus del Zika se puede transmitir de un hombre a sus parejas sexuales.



Síntomas del zika Cerca de 4 de cada 5

personas con zika ni siquiera saben que lo tienen. La enfermedad, por lo general, es leve con sintomas que duran desde varios días hasta una semana.

Los síntomas más comunes del zika son:

- Fiebre
- Sarpullido
- Dolor en las articulaciones
- Conjuntivitis (ojos enrojecidos)

Lo que no sabemos sobre el virus del Zika

- Si existe un periodo seguro durante el embarazo para viajar a áreas con zika.
- Si viaja y se infecta, qué probabilidad hay de que el virus infecte al feto y si su bebé tendrá defectos de nacimiento por la infección.

Aviso para viajeros

Los CDC han emitido un aviso

para viajeros (nivel 2, intensifique las

precauciones) dirigido a las personas

que viajen a áreas donde se está

Para obtener una lista actual de

Este aviso es en respuesta a

lugares con brotes de zika, consulte

los avisos de salud de los CDC para los viajeros: http://wwwnc.cdc.gov/

travel/page/zika-travel-information

reportes en Brasil de microcefalia

embarazo que afectan a bebés de

madres que fueron infectadas por el

virus del Zika durante el embarazo.

Actualizado el 17 de febrero de 2016

y otros resultados adversos del

propagando el virus del Zika.

Los CDC recomiendan que las mujeres embarazadas y las que estén tratando de quedar embarazadas tomen precauciones especiales

¿Está embarazada?

Las mujeres embarazadas y sus parejas masculinas deberían seguir estrictamente las medidas para evitar las picaduras de mosquitos.

Si tiene una pareja sexual masculina que vive en un área con zika o que viaja a ella, debería usar condones de la manera correcta cada vez que tenga relaciones sexuales o no tener relaciones sexuales durante el embarazo.

Si presenta síntomas de la enfermedad por el virus del Zika, consulte de inmediato a un proveedor de atención médica para que le hagan pruebas de detección.

Su mejor protección: Evitar las picaduras de mosquitos

Ropa

- Use camisas de manga larga y pantalones largos.
- Trate la ropa y los equipos con permetrina o compre artículos tratados con permetrina
 La ropa tratada conserva la protección después de muchos lavados. Vea la información del producto para saber cuánto durará la protección.
 - » Si usted misma hará el tratamiento, siga las instrucciones del producto cuidadosamente.
- NO aplique productos con permetrina directamente sobre la piel. Estos productos son para tratar la ropa.

Protección en interiores

- Permanezca en lugares con aire acondicionado o que tengan mallas o telas metálicas en las puertas y ventanas para evitar que entren los mosquitos.
- Duerma en camas con mosquiteros en caso de que no tenga aire acondicionado ni cuartos con mallas o telas metálicas en las puertas y ventanas, o si duerme afuera.

Repelentes

Use repelentes de insectos registrados en la Agencia de Protección Ambiental (EPA, por sus siglas en inglés). Cuando se usan de acuerdo con las instrucciones, estos repelentes de insectos son seguros y eficaces para las mujeres embarazadas y las que estén amamantando.

- * Siempre siga las instrucciones en la etiqueta del producto.
- Vuelva a aplicárselo según se indique.
- * No aplique repelentes en la piel debajo de la ropa.
- * Si también usa filtro solar, aplíquese el filtro solar antes del repelente de insectos.

www.cdc.gov/zika



¿Está tratando de quedar

Las mujeres que estén tratando de

quedar embarazadas y sus parejas

Hable con su proveedor de atención

médica sobre sus planes de quedar

masculinas deberían seguir estrictamente

las medidas para evitar las picaduras de

embarazada?

mosquitos.

embarazada.



inder of

Mosquito Bite Prevention for Travelers

Mosquitoes spread many types of viruses and parasites that can cause diseases like chikungunya, dengue, Zika, and malaria. If you are traveling to an area where malaria is found talk to your healthcare provider about malaria prevention medication that may be available.

Protect yourself and your family from mosquito bites. Here's how:

Keep mosquitoes out of your hotel room or lodging

- · Choose a hotel or lodging with air conditioning or screens on windows and doors.
- Sleep under a mosquito bed net if you are outside or in a room that is not well screened. Mosquitoes can live indoors and will bite at any time, day or night.
 - » Buy a bed net at your local outdoor store or online before traveling overseas.
 - » Choose a WHOPES-approved bed net (like Pramax*): compact, white, rectangular, with 156 holes per square inch, and long enough to tuck under the mattress.
 - » Permethrin-treated bed nets provide more protection than untreated nets.
 - Permethrin is an insecticide that kills mosquitoes and other insects.
 - Do not wash bed nets or expose them to sunlight. This will break down the insecticide more quickly.
 - » For more information on bed nets: www.cdc.gov/malaria/malaria_worldwide/reduction/itn.html

Cover up!

· Wear long-sleeved shirts and long pants.

Use only an EPA-registered

· Consider bringing insect repellent with you.

· Always follow the product label instructions.

» Do not spray repellent on the skin under clothing.

For more information: <u>www2.epa.gov/insect-repellents</u>

» If you are also using sunscreen, apply sunscreen first

· Reapply insect repellent every few hours.

and insect repellent second.

insect repellent

CDC

· Mosquitoes may bite through thin clothing. Treat clothes with permethrin or another Environmental Protection Agency (EPA)-registered insecticide for extra protection.

Natural insect repellents not

registered with EPA

- In the United States, the EPA has not evaluated for effectiveness most of the commonly known natural insect repellents.
 - » Examples of ingredients used in unregistered insect repellents include: citronella oil, cedar oil, geranium oil, peppermint and peppermint oil, pure oil of lemon eucalyptus, soybean oil.
 - » CDC recommends that you use an insect repellent containing an active ingredient shown to be both safe and effective.



Active ingredient

Higher percentages of active ingredient provide longer protection

DEET

Picaridin, also known as KBR 3023, Bayrepel, and icaridin

Oil of lemon eucalyptus (OLE) or para-menthane-diol (PMD)

IR3535

Some brand name examples*

(Insect repellents may be sold under different brand names overseas.)

Offl, Cutter, Sawyer, Ultrathon

Skin So Soft Bug Guard Plus, Autan (outside the United States)

Repel

Skin So Soft Bug Guard Plus Expedition, Skin Smart

If you are travelling with a baby or child:

- · Always follow instructions when applying insect repellent to children.
- · Do not use insect repellent on babies younger than 2 months of age.
- Instead, dress infants or small children in clothing that covers arms and legs, or cover the crib, stroller, and baby carrier with mosquito netting.
- » Adults: Spray insect repellent onto your hands and then apply to a child's face. Do not apply insect repellent to a child's hands, mouth, cut or irritated skin.

Treat clothing and gear

×

- Use permethrin to treat clothing and gear (such as boots, pants, socks, tents) or purchase permethrin-treated clothing and gear. Read product information to find out how long the protection will last.
- · If treating items yourself, always follow the product instructions.
- · Do not use permethrin products directly on skin.
- * The use of commercial names is to provide information about products; it does not represent an endorsement of these products by the Centers for Disease Control and Prevention or the U.S. Department of Health and Human Services

www.cdc.gov/features/StopMosquitoes



Prevención de picaduras de mosquitos para viajeros

Los mosquitos transmiten muchos tipos de vinus y parásitos que pueden causar enfermedades como el chikungunya (chikunguña), dengue, Zika y paludismo (malaria). Si va a viajar a lugares donde hay paludismo, hable con su proveedor de atención médica sobre los medicamentos disponibles para prevenir el paludismo.

Protéjase y proteja a su familia de las picaduras de mosquitos:

Evite que los mosquitos entren en su habitación de hotel o a su alojamiento

- Seleccione un hotel o alojamiento que tenga aire acondicionado o malla de tela metálica en las puertas y ventanas.
- Duerma debajo de un mosquitero si el área donde duerme está en el exterior o si las puertas y ventanas no tiene malla de tela metálica. Los mosquitos pueden vivir en el interior y picar en cualquier momento, del día o de la noche.
 Compre un mosquitero en su tienda local especializada en equipo para a camparo en Internet antes de
- viajar al extranjero. • Seleccione un mosquitero recomendado por la Organización Mundial de Salud identificado como WHOPES (WHO Pesticides Evaluation Scherne) como por elemplo Pramax⁺: compacto, blanco.
- rectangular, con 156 agujeros por pulgada cuadrada y lo suficientemente largo para poderse ajustar debajo del colchón. * Los mosquiteros tratados con permetrina proporcionan mayor protección que los mosquiteros no tratados
- Permetrina es un insecticida que mata mosquitos y otros insectos.
- No lave los mosquiteros ni los exponga a la luz solar. Esto inactivará el insecticida más rápido.
- Para obtener más información sobre los mosquiteros, consulte: www.cdc.gov/malaria/malaria_worldwide/reduction/itn.html

¡Cúbrase!

- Use camisas de manga larga y pantalones largos.
- Los mosquitos pueden picarle a través de la ropa delgada. Trate la ropa con permetrina u otro insecticida que esté registrado en la Agencia de Protección Ambiental de los EE.UU. (EPA, por sus siglas en inglés) para obtener protección adicional.

Solo use repelente de insectos registrados en la EPA

Considere llevar un repelente de insectos.

CDC

- · Siempre siga las instrucciones en la etiqueta del producto.
- Reapliquese el repelente de insectos cada pocas horas.
 » No se aplique repelente en la piel debajo de la ropa.
 » Si también usa un filtro solar, apliqueselo primero y luego el repelente de insectos.
- Para más información, visite: www2.epa.gov/insect-repellents

Repelentes de insectos naturales <u>no</u> registrados en la EPA

- La EPA no ha evaluado la eficacia de los repelentes de insectos naturales más comunes en los Estados Unidos.
 Algunos ejemplos de ingredientes usados en
 - repelentes de insectos que no han sido registrados incluyen aceite de citronela, aceite de cedro, aceite de geranio, aceite de menta, aceite de eucalipto limón puro o aceite de sola.
 - » Los CDC recomiendan que utilice un repelente de insectos que contenga un ingrediente activo que se haya comprobado que es seguro y eficaz.

January 15, 2016 C5262051

Use un repelente de insectos con uno de los siguientes ingredientes activos:



Algunos ejemplos de marcas comerciales* (En el extranjero los repelentes de insectos pueden

ser vendidos bajo diferentes nombres comerciales.)

Off!, Cutter, Sawyer, Ultrathon

Skin So Soft Bug Guard Plus, Autan (fuera de los Estados Unidos)

Repel

Skin So Soft Bug Guard Plus Expedition, Skin Smart

Si viaja con un bebé o un niño:

- Siempre siga las instrucciones del producto al aplicar repelente de insectos a los niños.
- * No utilice repelente de insectos en bebés menores de dos meses.
- Mejor, vista a su bebé o niño pequeño con ropa que le cubra los brazos y las piernas, o cubra la cuna, el coche y el portabebés con un mosquitero.
- » Adultos: Rocíen el repelente de insectos en sus manos y luego apliquenlo en la cara del niño. No apliquen repelente de insectos en las manos, la boca o la piel irritada o cortada de un niño.

Trate la ropa y el equipo

- Use permetrina para tratar la ropa y el equipo (como botas, pantalones, calcetines y tiendas de campaña) o compre ropa y equipo ya tratados con permetrina. Lea la información del producto para saber cuánto tiempo durará la protección.
- Si usted va a aplicar el tratamiento, siga las instrucciones del producto.
- No use productos con permetrina directamente sobre la piel.
- El uso de las marcas comerciales de repelentes de insectos se ofrecen para proveer información sobre el producto; no implica respaldo de estos productos por parte de los Centros para el Control y la Prevención de Enformedades ni del Departamento de Salud y Servicios Humanos de los Estados Unidos.

www.cdc.gov/features/StopMosquitoes







FloridaHealth.gov • Florida Department of Health

Not all mosquitoes are the same. Different mosquitoes spread different viruses and bite at different times of the day. Some mosquito species bite during the day, such as those mosquitoes that can spread chikungunya, dengue, and Zika viruses. Other species of mosquitoes bite most often at dawn and dusk, including those that can transmit West Nile virus.

| Mosquitoes can live indoors and will bite at any time, day or night. 🚗 😢 | | |
|--|---|---|
| Use Environmental Protection Agency (EPA)-registered insect repellents | USE INSECT REPELLENT WITH ONE OF THESE ACTIVE INGREDIENTS | BRAND EXAMPLES* Overseas brand names may vary. |
| Wear repellent when you are outdoors. Use products with active ingredients that are safe and effective. | DEET->-> | Off!, Cutter, Sawyer, Ultrathon |
| Always follow the product label instructions. Do not spray repellent on skin under clothing. | Picaridin (KBR 3023), Bayrepel and icaridin | Skin So Soft Bug Guard Plus, Autan (outside the U.S.) |
| If you use sunscreen, put sunscreen on first and insect repellent second. | Oil of lemon eucalyptus (OLE) or para-menthane- diol (PMD) | Repel |
| It is safe for pregnant or nursing women to use EPA-approved repellants if applied according to package label instructions. Learn more: www2.epa.gov/insect-repellents. | IR3535→→ | Skin So Soft Bug Guard Plus Expedition, Skin Smart |
| -cean more, www2.epa.gowinsect-repetients. | Higher percentages of active | ingredient=longer protection |
| If you have a baby or child: Always follow product instructions when applying insect repellent to children. Spray insect repellent onto your hands and then apply to a child's face. Do not apply insect repellent to a child's face. Do not apply insect repellent to a child's face. Do not as insect repellent on babies younger than 2 months. Do not use insect repellent on babies younger than 2 months. Dress babies or small children in clothing that covers arms and legs. Cover cribs, strollers or baby carriers with mosquito netting. | Cover up with clothing Wear long-sleeved shirts and le Mosquitoes can bite through the Treat clothes with permethrin or EPA-registered insecticide for ex Use permethrin-treated cloth Remethrin is an insecticide the other insects. Buy permethrin-treated clothing socks, tents), or use permethrint follow product instructions close Read product information to find | ng pants. hin clothing. another tra protection. ing and gear. tt kills mosquitoes and ng and gear (boots, pants, to treat clothing and gear— dy. |
| | permethrin will last. ■Do not use permethrin produc | ts directly on skin. |
| www.cdc.gov/featur *The use of commercial numes is to provide information about products it does not represent a | | Disease Control and Prevention or the U.S. |

lucts; it does not represent an endorsement of these pro Department of Health and Human Services.





CS258143A January 12, 2016

Protect yourself and your family from mosquito bites (continued)

- Always follow the product label instructions.
 - Reapply insect repellent every few hours, depending on which product and strength you choose.
 - » Do not spray repellent on the skin under clothing.
 - » If you are also using sunscreen, apply sunscreen first and insect repellent second.

Natural insect repellents (repellents not registered with EPA)

EPA has not evaluated natural insect repellents for effectiveness.

Always follow instructions when applying insect repellent to children.

» Examples of ingredients used in unregistered insect repellents include: citronella oil, cedar oil, geranium oil, peppermint oil, or soybean oil.

· Do not use insect repellent on babies younger than 2 months of age. · Dress your child in clothing that covers arms and legs, or Cover crib, stroller, and baby carrier with mosquito netting.

- · Do not apply insect repellent onto a child's hands, eyes, mouth, and cut or irritated skin. » Adults: Spray insect repellent onto your hands and then apply to a child's face.
 - Treat items such as boots, pants, socks, and tents with permethrin or purchase permethrin-treated clothing and gear.
 - » Permethrin-treated clothing will protect you after multiple washings. See product information to find out how long the protection will last.
 - » If treating items yourself, follow the product instructions.
 - » Do not use permethrin products directly on skin.

- Use screens on windows and doors. Repair holes in screens to keep mosquitoes outside.
- Use air conditioning when available.
- · Keep mosquitoes from laying eggs in and near standing water.
- » Once a week, empty and scrub, turn over, cover, or throw out items that hold water, such as tires, buckets, planters, toys, pools, birdbaths, flowerpots, or trash containers. Check inside and outside your home.

www.cdc.gov/features/StopMosquitoes

Prevención de picaduras de mosquitos (Estados Unidos)

No todos los mosquitos son iguales. Diferentes mosquitos transmiten distintos virus y pican en diferentes momentos del día.



Protéjase y proteja a su familia de las picaduras de mosquitos

Use repelente de insectos

Use un repelente de insectos registrado en la Agencia de Protección Ambiental de los EE. UU. (EPA, por sus siglas en inglés) con uno de los siguientes ingredientes activos. Todos los repelentes de insectos registrados en la EPA han sido evaluados para determinar su seguridad y eficacia.



CS2581437 I de dictembre de 2015

Protéjase y proteja a su familia de las picaduras de mosquitos (continuación)

- Siempre siga las instrucciones en la etiqueta del producto.
- Vuelva a aplicar el repelente de insectos cada cierta cantidad de horas, dependiendo del producto y la concentración que haya elegido.
 - » No ponga repelente en la piel debaio de la ropa.
 - » Si también usa un filtro solar, aplíquelo primero y luego el repelente de insectos.
- Repelentes de insectos naturales (repelentes no registrados en la EPA)
- La EPA no ha evaluado la efectividad de los repelentes de insectos naturales.
- » Algunos ejemplos de ingredientes usados en repelentes de insectos que no han sido registrados incluyen aceite de citronela, aceite de cedro, aceite de geranio, aceite de menta o aceite de soia.

Si tiene un bebé o niño

- Siempre siga las instrucciones en la etiqueta del producto al aplicar repelente de insectos a los niños.
- No utilice repelente de insectos en bebés menores de dos meses.
- + Vista a su hijo con ropa que le cubra los brazos y las piernas. o...
- Cubra la cuna, el coche y el portabebés con un mosquitero.
- · No aplique repelente de insectos en las manos, los ojos, la boca, o la piel irritada o cortada
 - » Adultos: Rocien el repelente de insectos en sus manos y luego apliquenlo en la cara del niño.

Trate la ropa y el equipo



- Trate con permetrina los artículos como botas, pantalones, calcetines y tiendas de campaña o compre ropa y equipo ya tratados con permetrina.
 - » La ropa tratada con permetrina lo protegerá luego de varias lavadas. Lea la información del producto para saber cuánto tiempo durará la protección.
 - » Si usted va a aplicar el tratamiento, siga las instrucciones del producto.
 - » No use productos con permetrina directamente sobre la piel.


Mantenga su hogar libre de mosquitos



Use una malla o tela metálica en las puertas y ventanas. Repare los huecos que tenga la malla o tela metálica para mantener los mosquitos afuera.

- Use el aire acondicionado si está disponible.
- · Evite que los mosquitos pongan huevos en agua acumulada.
 - » Una vez a la semana, vacíe y restriegue, dé vuelta, cubra o bote los recipientes que acumulen agua, tales como neumáticos, baldes, floreros, macetas, juguetes, piscinas, baños para pájaros, tiestos o contenedores de basura. Revise dentro y fuera de su hogar.

www.cdc.gov/features/StopMosquitoes



Help Control Mosquitoes that Spread Dengue, Chikungunya, and Zika Viruses

BZZZZ.

Aside from being itchy and annoying, the bite of an infected female mosquito (Aedes aegypti or Aedes albopictus) can spread dengue, chikungunya, or Zika viruses. People become infected with dengue, chikungunya, or Zika after being bitten by an infected mosquito.

- · Female mosquitoes lay several hundred eggs on the walls of waterfilled containers. Eggs stick to containers like glue and remain attached until they are scrubbed off. When water covers the eggs, they hatch and become adults in about a week.
- Adult mosquitoes live inside and outside.
- They prefer to bite during the day.
- A few infected mosquitoes can produce large outbreaks in a community and put your family at risk of becoming sick.

Protect Yourself, Your Family, and Community from Mosquitoes



Eliminate standing water in and around your home:

- · Once a week, empty and scrub, turn over, cover, or throw out items that hold water, such as tires, buckets, planters, toys, pools, birdbaths, flowerpots, or trash containers. Check inside and outside your home.
- Tightly cover water storage containers (buckets, cisterns, rain barrels) so that mosquitoes cannot get inside to lay eggs.
- · For containers without lids, use wire mesh with holes smaller than an adult mosquito.

If you have a septic tank, follow these steps:

- Repair cracks or gaps.
- · Cover open vent or plumbing pipes. Use wire mesh with holes smaller than an adult mosquito.

Keep mosquitoes out of your home:

Use screens on windows and doors.

Repair holes in screens.

Use air conditioning when available.

ion of Vector-Borne Diseases











CDC



August 2015

Prevent mosquito bites:

 Use an Environmental Protection Agency (EPA)-registered insect repellent with one of the following active ingredients. All EPA-registered insect repellents are evaluated to make sure they are safe and effective.

| Active ingredient Higher percentages of active Ingredient provide longer protection | Some brand name examples* |
|---|---|
| DEET | Off!, Cutter, Sawyer, Ultrathon |
| Picaridin, also known as KBR 3023, Bayrepel, and icaridin | Cutter Advanced, Skin So Soft Bug Guard Plus, Autan (outside the United States) |
| IR3535 | Skin So Soft Bug Guard Plus Expedition, SkinSmart |
| Oil of lemon eucalyptus (OLE) or para-menthane-diol (PMD) | Repel |

* Insect repellent brand names are provided for your information only. The Centers for Disease Control and Prevention and the U.S. Department of Health and Human Services cannot recommend or endorse any name brand products.

- Always follow the product label instructions.
- Reapply insect repellent every few hours, depending on which product and strength you choose.
- Do not spray repellent on the skin under clothing.
- If you are also using sunscreen, apply sunscreen first and insect repellent second.
- · Treat clothing and gear (such as boots, pants, socks, and tents) with permethrin or purchase permethrin-treated clothing and gear.
 - Treated clothing remains protective after multiple washings. See product information to find out how long the protection will last.
 - If treating items yourself, follow the product instructions carefully.
- Do not use permethrin products, intended to treat clothing, directly on skin.
- · Wear long-sleeved shirts and long pants.

For more information, visit: www.cdc.gov/dengue, www.cdc.gov/chikungunya, www.cdc.gov/zika













C\$258303



Ayude a controlar los mosquitos que transmiten los virus del dengue, chikungunya y Zika

BZZZZ.

Además de causar picor y molestia, la picadura de un mosquito hembra infectado (Aedes aegypti o Aedes albopictus) puede propagar los virus del dengue, chikungunya (chikunguña) o Zika. Las personas se infectan con el virus del dengue, del chikungunya o Zika al ser picadas por un mosquito infectado.

- Los mosquitos hembras ponen varios cientos de huevos en las paredes de envases con agua. Estos huevos se pegan a los envases como pegamento y permanecerán allí a menos que esos envases sean restregados. La próxima vez que el nivel del agua suba y cubra los huevos, las larvas nacerán, se convertirán en pupas y luego en mosquitos adultos en aproximadamente una semana.
- Los mosquitos viven dentro y fuera del hogar.
- Prefieren picar durante el día.
- Unos pocos mosquitos infectados pueden producir grandes brotes en la comunidad y poner a su familia en riesgo de enfermarse.

Protéjase y proteja a su familia y a la comunidad de los mosquitos



Elimine el agua acumulada en el interior y alrededor

· Una vez a la semana, vacíe y restriegue con un cepillo o esponja, dé vuelta, cubra o bote los recipientes que puedan acumular agua, tales como neumáticos, baldes, macetas, floreros, juguetes, piscinas, baños para pájaros, tiestos o contenedores de basura. Revise dentro y fuera del hogar.

- Cologue una tapa ajustada en los recipientes para el agua (baldes, cisternas, barriles para agua de lluvia) para que los mosquitos no puedan entrar a poner huevos.
- Use una malla o tela metálica con agujeros más pequeños que un mosquito para cubrir los recipientes sin tapa.

Si tiene un pozo séptico, tome estas medidas:

- Repare las grietas y los huecos.
- Cubra el tubo de ventilación o respiradero con una malla o tela metálica con agujeros más pequeños que un mosquito.

Division of Vector-Bome Diseases













CDC



Mantenga los mosquitos fuera de su hogar:

- Use una malla o tela metálica en las puertas y ventanas. Repare los orificios en la malla o tela metálica. Use el aire acondicionado si lo tiene disponible.

Evite las picaduras de mosquitos:

 Use repelentes de insectos registrados en la Agencia de Protección Ambiental de los EE. UU. (EPA, por sus siglas en inglés) con uno de los siguientes ingredientes activos. Todos los repelentes de insectos registrados en la EPA han sido estudiados para asegurarse de que sean seguros y eficaces.



| Ingrediente activo Los porcentajes más altos de ingredientes activos ofrecen una protección más prolongada. | Algunos ejemplos de marcas comerciales* |
|--|---|
| DEET | Offl, Cutter, Sawyer, Ultrathon |
| Picaridina, también conocido como KBR 3023, Bayrepel e icaridina. | Cutter Advanced, Skin So Soft Bug Guard Plus, Autan (fuera de los Estados Unidos) |
| IR3535 | Skin So Soft Bug Guard Plus Expedition, SkinSmart |
| Aceite de eucalipto limón (OLE) o para-metano-diol (PMD) | Repel |

* El uso de marcas comerciales de repelentes de insectos es con propósitos informativos solamente. Los Centros para el Control y la Prevención de Enfermedades y el Departamento de Salud y Servicios Humanos de los Estados Unidos no pueden recomendar ni respaldar ningún producto de marca comercial.

- Siempre siga las instrucciones en la etiqueta del producto.
- Vuelva a aplicar el repelente de insectos cada cierta cantidad de horas, dependiendo del producto y la concentración que haya elegido.
- No ponga repelente en la piel debajo de la ropa.
- Si también usa un filtro solar, aplíqueselo primero y luego el repelente de insectos.
- Trate la ropa y el equipo (como botas, pantalones, medias y tiendas de campaña o carpas) con permetrina o compre ropa y equipo tratados con permetrina.
 - La ropa tratada con permetrina continúa ofreciendo protección luego de varios lavados. Lea la información del producto para saber cuánto durará la protección. - Si usted mismo va a tratar con permetrina los artículos, siga las instrucciones del
 - producto cuidadosamente. - No utilice productos con permetrina, destinados a tratar la ropa, directamente sobre
- la piel.
- Use camisas de manga larga y pantalones largos.

Para obtener más información, visite: www.cdc.gov/dengue, www.cdc.gov/chikungunya, www.cdc.gov/zika

Instale o repare la malla o tela

