



**City of Doral**  
**ITB No. 2022-22**  
**NW 58<sup>th</sup> Street Outfall**  
**Addendum No. 2**

**Below are questions/ clarifications that were received regarding this project as well as the City's responses. This Addendum is and does become a part of the above-mentioned solicitation. This addendum is issued to modify the subject solicitation as follows:**

**Please note: This Addendum extends the bid due date to:  
 Thursday, July 28<sup>th</sup>, 2022, at 10:00 A.M.**

**Please see updated Bid Form below. Due to the market conditions, some of the bid items previously requested have been discontinued by the manufacture.**

**The revisions made are highlighted in yellow.**

**SECTION 00410 - BID FORM**  
**ITB No. 2022-22**

THIS BID IS SUBMITTED TO:  
 City of Doral

8401 NW 53rd Terrace, Doral, Florida 33166

1. The undersigned BIDDER proposes and agrees, if this Bid is accepted, to enter into an agreement with The City of Doral in the form included in the Contract Documents to perform and furnish all Work as specified or indicated in the Contract Documents for the Contract Price and within the Contract Time indicated in this Bid and in accordance with the other terms and conditions of the Contract Documents.
2. BIDDER accepts all the terms and conditions of the Advertisement or Invitation to Bid and Instructions to BIDDER'S, including without limitation those dealing with the disposition of Bid Security. This Bid will remain subject to acceptance for 90 days after the day of Bid opening. BIDDER agrees to sign and submit the Agreement with the Bonds and other documents required by the Bidding Requirements within ten days after the date of City's Notice of Award.
3. In submitting this Bid, BIDDER represents, as more fully set forth in the Agreement, that:
  - (a) BIDDER has examined copies of all the Bidding Documents and of the following Addenda (receipt of all which is hereby acknowledged.)

Addendum No. \_\_\_\_\_ Dated: \_\_\_\_\_

Addendum No. \_\_\_\_\_ Dated: \_\_\_\_\_

Addendum No. \_\_\_\_\_ Dated: \_\_\_\_\_

Addendum No. \_\_\_\_\_ Dated: \_\_\_\_\_

- (b) The Bidder, by and through the submission of its bid, agrees that it shall be held responsible for having therefore examined the site, the location and the route of all proposed work, and for having satisfied themselves as to the character of the route, the location, surface and underground obstructions, known or anticipated and all other physical characteristics pertaining to the Project that could be reasonably determined including the nature of the ground and the water table conditions, in order that they may include in the prices bid, whether aggregate sums or unit prices, all costs pertaining to the work and thereby provide for the satisfactory completion thereof, including the removal, relocation or replacement of any objects or obstruction which will be encountered in doing the proposed work.
- (c) The Bidder shall familiarize itself with all codes and regulations applicable to the specific work involved in the Project. They shall fully comply with all requirements of applicable codes and regulations whether indicated in the Contract Drawings and Specifications or not, including any modifications made by the authorities having jurisdiction, "Permitted Agencies", over the Contract work during the lifetime of the Contract.
- (d) All information given on the Drawings or in the Contract Documents relating to borings, materials encountered, and ground water, is from the reports of the boring CONTRACTORS. The logs of test borings performed by the City of Doral's boring CONTRACTORS present factual information of the subsurface conditions at the specific test boring location only. The Bidders should not consider, or conclude, that the subsurface conditions will be consistent between test boring locations. All such information was prepared for the information of the City of Doral's Engineers only, and permission to examine the same is extended to bidders for their convenience. In no event is such information, including any shown on the Contract Drawings, to be considered a part of this Contract.
- (e) The Bidders shall make site surface and subsurface examinations and investigations as they choose in order to determine the character of the material and the construction conditions under which they will work. The Bidder agrees that reasonable steps to discover the particular physical and subsurface soil conditions for this Contract shall include, but not necessarily be limited to, performing its own borings and test holes, interviewing any CONTRACTORS working at or near the site, and interviewing CONTRACTORS who have done similar work in this area and/or similar areas. If requested by the Bidder, the City of Doral will assist it in obtaining permission for exploratory work from the governing authorities having jurisdiction over the work area. Such requests must be made with reasonable advance notice prior to the date set for the opening of bids.
- (f) The Bidder in preparing its bid should take into consideration that work by other CONTRACTORS may be in progress at or near the site and during the performance of the work to which the bid relates, and that the bidder will be expected, should it be awarded the Contract, to avoid interference with work being done by such other CONTRACTORS.
- (g) BIDDER has given the City written notice of all conflicts, errors, discrepancies that it has discovered in the Plans or Contract Documents and the written resolution thereof by the

City is acceptable to BIDDER, prior to responsible bid submittal.

(h) This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization, or corporation; BIDDER has not directly or indirectly induced or solicited any other BIDDER to submit a false or sham Bid; BIDDER has not solicited or induced any person, firm or corporation to refrain from bidding; and BIDDER has not sought by collusion to obtain for itself any advantage over any other BIDDER or over the City.

4. BIDDER understands and agrees that this is a unit rate contract. **The prices submitted on the bid form are to furnish and deliver all of the Work complete in place.** The quantities provided on the form are for the purpose of Bid Evaluation and should be considered estimates only. Contractor’s unit prices will not be adjusted to reflect any deviation from the provided quantities. As such the Contractor shall furnish all labor, materials, equipment, tools, supervision, safety measures, and services necessary to provide the stated units of work for the Bid Price of:

| Item  | Description            | Unit | Qty. | Unit Price | Cost |
|-------|------------------------|------|------|------------|------|
| 101-1 | MOBILIZATION           | LS   | 1    |            |      |
| 102-1 | MAINTENANCE OF TRAFFIC | LS   | 1    |            |      |

**Sub Total:** \_\_\_\_\_

**Phase I – NW 57<sup>th</sup> Street (NW 79<sup>th</sup> Avenue – NW 78<sup>th</sup> Avenue)**

| Item      | Description   | Unit | Qty. | Unit Price | Cost |
|-----------|---|------|------|------------|------|
| 0104 18   | INLET PROTECTION SYSTEM                                       | EA   | 11   |            |      |
| 160- 4    | TYPE B STABILIZATION  | SY   | 740  |            |      |
| 285-706   | OPTIONAL BASE, BASE GROUP 06                                  | SY   | 740  |            |      |
| 0327 70 1 | MILLING EXIST ASPH PAVT, 1" AVG DEPTH                         | SY   | 927  |            |      |
| 0337 7 82 | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22 | TN   | 92   |            |      |
| 0334 1 53 | SUPERPAVE ASPHALTIC CONCRETE TRAFFIC C, FC-12.5, PG76-22      | TN   | 81   |            |      |

|            |   |    |      |  |  |
|------------|---|----|------|--|--|
| 0425 1361  | INLETS, CURB, TYPE P-6, <10'  | EA | 1    |  |  |
| 0425 1362  | INLETS, CURB, TYPE P-6, >10'  | EA | 1    |  |  |
| 0425 1561  | INLETS, DT BOT, TYPE F, <10'  | EA | 5    |  |  |
| 0425 1562  | INLETS, DT BOT, TYPE F, >10'  | EA | 4    |  |  |
| 0425 2 72  | MANHOLES, J-7, >10' (5'X5')   | EA | 5    |  |  |
| 0430175115 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 15"S/CD                           | LF | 25   |  |  |
| 0430175118 | PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD                           | LF | 220  |  |  |
| 430175136  | PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD                              | LF | 181  |  |  |
| 0443 002   | SKIMMERS FOR FRENCH DRAIN OUTLETS                                       | EA | 8    |  |  |
| 0443 70 6  | FRENCH DRAIN, 36"   | LF | 365  |  |  |
| 0520 1 10  | CONCRETE CURB & GUTTER, TYPE F  | LF | 26   |  |  |
| 0570 1 2   | PERFORMANCE TURF, SOD   | SY | 0    |  |  |
| 0711 11125 | THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE AND CROSSWALK  | LF | 16   |  |  |
| 0711 15201 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6" | GM | 0.13 |  |  |
| 0711 15231 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SKIP, 6"  | GM | 0.02 |  |  |
| 0711 15101 | THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"   | GM | 0.1  |  |  |

**Sub Total:** \_\_\_\_\_

### Phase II -NW 58th Street Outfall

| Item  | Description                            | Unit | Qty. | Unit Price | Cost |
|-------|--|------|------|------------|------|
| 104-0 | STORMWATER POLLUTION PREVENTION (SWPP) | LS   | 1    |            |      |

|             |  |    |      |  |  |
|-------------|--|----|------|--|--|
| 110-1-1     | CLEARING AND GRUBBING  | LS | 1    |  |  |
| 110-4-10    | REMOVAL OF EXISTING CONCRETE                                   | SY | 133  |  |  |
| 120-6       | EMBANKMENT   | CY | 173  |  |  |
| 160-4       | TYPE B STABILIZATION   | SY | 311  |  |  |
| 285-706     | OPTIONAL BASE, BASE GROUP 6                                    | SY | 11   |  |  |
| 327-70-1    | MILLING EXISTING ASPHALT PAVEMENT, 1" AVG DEPTH                | SY | 2070 |  |  |
| 337-7-82    | ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-9.5, PG 76-22  | TN | 133  |  |  |
| 334-1-53    | SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG 76-22              | TN | 35   |  |  |
| 425-2-62    | MANHOLES, P-8, >10'  | EA | 1    |  |  |
| 425-2-92    | MANHOLES, J-8, .10' (TRAFFIC RATED GRATES)                     | EA | 1    |  |  |
| 425-2-95    | MANHOLES, J-8, >10', CONTROL STRUCTURES (TRAFFIC RATED GRATES) | EA | 1    |  |  |
| 425-11      | MODIFY EXISTING DRAINAGE STRUCTURE                             | EA | 3    |  |  |
| 425-1369    | INLETS, CURB, TYPE P-6, MODIFY                                 | EA | 1    |  |  |
| 430-174-118 | PIPE CULVERT, OPTIONAL MATERIAL, ROUND 18" SD                  | LF | 100  |  |  |
| 430-174-124 | PIPE CULVERT, OPT MATERIAL, ROUND 24" SD                       | LF | 170  |  |  |
| 430-174-148 | PIPE CULVERT, OPT MATERIAL, RUND 48"                           | LF | 90   |  |  |
| 430-548-100 | STRAIGHT CONCRETE ENDWALLS, 48", SINGLE, 0 DEGREES, ROUND      | AS | 1    |  |  |
| 430-880     | FLAP GATE-DRAINAGE (INLINE CHECK VALVE, 48")                   | EA | 1    |  |  |
| 433-1       | CHEMICAL GROUT REPAIR, MANOLE/INLET                            | EA | 4    |  |  |
| 520-1-10    | CONCRETE CURB & GUTTER, TYPE F                                 | LF | 140  |  |  |
| 522-2       | CONCRETE SIDEWALK AND DRIVEWAYS, 6" THICK                      | SY | 92   |  |  |
| 530-3-3     | RIPRAP-RUBBLE, BANK AND SHORE                                  | TN | 31   |  |  |

|           |   |    |      |  |  |
|-----------|---|----|------|--|--|
| 536-1-1   | GUADRAIL-ROADWAY, GENERAL TL-3                        | LF | 500  |  |  |
| 536-7-3   | SPECIAL GUADRAIL POST-ENCASED POST FOR SHALLOW MOUNT  | EA | 85   |  |  |
| 536-73    | GUADRAIL REMOVAL                                      | LF | 500  |  |  |
| 550-10220 | FENCING, TYPE b, 5.1-6.0', STABDARD                   | LF | 550  |  |  |
| 570-1-2   | PERFORMANCE TURF, SOD                                 | SY | 1500 |  |  |
| 102-3     | PAVEMENT MARKING                                      | LS | 1    |  |  |
| EAC-100   | MIRAFI MIRAMESH GEOSYNTHETIC                          | LS | 1    |  |  |
| EAC-200   | DIG AND REPLAE EXIST 36" FD, OPTIONAL MATERIAL, ROUND | LF | 50   |  |  |
| EAC-300   | PIPELINE CCTV & ASSESSMENT, 8"-36 (SD/FD)             | LF | 500  |  |  |

**Sub  
Total:** \_\_\_\_\_

**TOTAL BASE BID**

---

Work to be included for all items:

Furnishing all labor, equipment, materials and any and all costs for the term of the warranty or as deemed necessary by the City, necessary to complete the work per the specifications and as required shall be included in the above bid.

**NOTES TO BIDDERS:**

1. Contractor shall fill the entire bid form; no spaces are to be left blank.
2. The City reserves the right to utilize any combination of the base bid, add alternates as they so desire to achieve the proper balance between the required improvements, desired improvements, and the City's available project budget.
3. The City reserves the right to request per unit/each pricing of materials listed on the bid form for clarification or to purchase additional materials.
4. Contract Time will commence on the date the Notice to Proceed is issued and continue consecutively for a period of one hundred and eighty (180) calendar days. No extension of time will be given unless stated in writing.

**BASE BID:**

\_\_\_\_\_ Dollars  
(Written Total Base Bid Price)

5. BIDDER agrees that the work will be completed as scheduled from the date stipulated in the work orders executed under the terms of this contract.

6. Communications concerning this Bid shall be addressed to:

BIDDER: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone: \_\_\_\_\_

Facsimile Number: \_\_\_\_\_

Attention: \_\_\_\_\_

7. The terms used in this Bid which are defined in the General Conditions of the Contract included as part of the Contract documents have the meanings assigned to them in the General Conditions.

SUBMITTED THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 20\_\_\_\_