



MIAMI-DADE COUNTY, FLORIDA
HERBERT S. SAFFIR PERMITTING AND INSPECTION CENTER

Department of Regulatory and Economic Resources
Board and Code Administration Division

11805 SW 26th Street (Coral Way) • Room 230
MIAMI, FLORIDA 33175-2474
(786) 315-2509 FAX (786) 315-2560

www.miamidade.gov/building

ADVISORY MEMO

TO: ALL BUILDING OFFICIALS IN MIAMI-DADE COUNTY

FROM:  **Jaime D. Gascon, P.E.**
Board and Code Administration Division

DATE: February 19, 2021

SUBJECT: BORA Gas Vent Interpretation – Revision

The Board of Rules and Appeals at its February 18, 2021 meeting updated their May 17, 2018 *Gas Vent Interpretation* providing additional guidance. The Board expanded their previous interpretation of Section 105.2.2 of the Florida Building Code.

The Board reaffirmed that when gas burning rooftop exhaust vents are present during reroofing:

- **A gas vent permit shall be issued before the roofing final inspection can be performed.**
- **The gas vent permit shall be obtained by a properly licensed contractor.**
- **A gas vent permit shall be considered a separate permit and not a subsidiary roofing permit.**
- **The process shall not interfere with the inspection and finalization of the roofing permit.**

The Board's revised and expanded interpretation contains the following optional Code compliance path:

- **As an alternative to a permit, the Building Official may accept a letter from a licensed LP Category I or V Contractor, Plumbing Contractor or Mechanical Contractor verifying the existing gas vent system is safely reconnected and attached as required by the Florida Building Code.**

However, should repair, alteration or replacement of the gas appliance system be necessary during reroofing, a permit shall be obtained.

If you have any questions, please contact Eduardo Gonzalez, Senior Code Officer, at 786-315-2012.